

### VALVE



Art. 2007-2007N  
High Pressure full bore ball valve  
1/4"-1"



Art. 2008  
2 pcs standard bore ball valve  
1/4"-2"



Art. 2009  
2 pcs full bore ball valve F-F  
1/4"-1"



Art. 2013  
2 pcs full bore ball valve M-F  
1/4"-1"



Art. 2014-2014N  
2 pcs full bore ball valve  
with locking system  
1/4"-3"



Art. 2015  
2 pcs full bore ball valve  
direct assembly  
1/4"-2"

Art. 5621



Art. 2025-2025N  
3 pcs full bore ball valve  
direct assembly  
1/4"-4"

Art. 5025-5026-5027



Art. 2040-2041-2040N-2041N  
3 Ways ball valve reduced bore  
direct assembly  
1/4"-2 1/2"

Art. 5040



Art. 2228  
Static balancing valve -  
Flanged ends  
DIN PN 16  
2"-12"



Art. 2101  
Wafer type butterfly valve  
Mounting between flanges  
PN 10/16 - ANSI 150 lbs  
2"-8"



Art. 2104  
Wafer type butterfly valve  
Mounting between flanges  
PN 10/16 - ANSI 150 lbs  
2"-10"



Art. 2108  
Lug type butterfly valve  
Mounting between  
DIN PN 10/16 flanges  
2"-12"



Art. 2102  
Gate valve with EPDM seal and  
ductile iron body PN 16  
DN 50-300



Art. 2220-2220N  
Gate valve PN-16  
1/2"-2"



Art. 2401  
Wafer type. Double disk  
check valve PN 16  
DN 50-300



Art. 2458G  
Flanged ends "Y" Strainer  
DN 40-300



### AUTOMATION AND CONTROL



Art. 2528A

2 pcs full bore ball valve flanges  
ANSI B-16.5 s-150  
FIRE SAFE Certification  
1/2"-8"



Art. 2525

2 pcs. Full bore ball valve flanges  
DIN PN 16  
1/2"-8"



Art. 2040  
3 Ways ball valve  
reduced bore  
1/4"-2 1/2"



Art. 2540E/41E  
3 ways full bore ball valve  
1"-4"



Art. 5971  
Gear box for  
emergency control



Art. 5981  
Limit switch box  
Electromechanical



Art. 5987  
Limit switch box  
Electromechanical  
(w/h actuator)



Art. 5988  
Electromechanical  
Limit switch box  
For angle seat valve

## Variable ball valve

Conviguration of "V" ball: 30°, 60°, 90°



Art. 2015V  
"V" control ball valve, 2 pieces



Art. 2025V, 2026V, 2027V  
"V" control ball valve, 3 pieces



**PT THERMAL ABYUDAYA ANDALAN**

Ruko Graha Boulevard Blok GBVB 10  
Jl. Gading Serpong Boulevard, Banten 15810



admin@thermal-abyudaya.com



www.thermal-abyudaya.com



+62-8111-49565



### SANITARY LINE



Art. 2921

Upper level cock with hose nipple  
1/2"



Art. 2922

Lower level cock with  
hose nipple and drain  
1/2"



Art. 2940

Butterfly valve  
clamp ends  
1"-4"



Art. 2941E

Butterfly valve  
threaded ends  
1"-4"



Art. 2952

Cleaning ball  
1"-2"



Art. 2954

Threaded ring for  
welded connector  
1/2"-4"



Art. 2955

Male connection  
for welding  
1/2"-4"



Art. 2956

Clamp for welding  
1/2"-4"



Art. 2981

Clamp welding socket  
1/2"-4"



Art. 2983

Sanitary accessories  
clamp 90° elbow  
1/2"-4"



Art. 2986

Quick locking  
binding clamp  
1/2"-4"



Art. 5941E

Butterfly valve  
threaded ends  
1"-4"



Art. 5032

Ball valve threaded/welded end  
1"-3"



Art. 2933

3 pcs ball valve clamp ends  
1/2"-4"



Art. 2918

Stainless steel celler ball valve  
3/8"-3/4"



**PT THERMAL ABYUDAYA ANDALAN**

Ruko Graha Boulevard Blok GBVB 10  
Jl. Gading Serpong Boulevard, Banten 15810



admin@thermal-abyudaya.com



www.thermal-abyudaya.com



+62-8111-49565



### INSTRUMENTATION



**Art. 8012**  
Pressure gauge



**Art. 8029**  
Thermal divider lyre type  
1/2"



**Bimetallic thermometer 63 mm**  
8032 (back entry) /  
8033 (bottom entry)



**Bimetallic thermometer 63 mm**  
8034 (back entry) /  
8035 (bottom entry)



**Art. 8036**  
Stainless steel bimetallic  
thermometer. Back connection



**Art. 8039**  
Stainless steel bimetallic  
thermometer. Adjustable  
connection



**Glass thermometers 1/2"**  
Art. 8045 Length 50mm  
Art. 8046 Length 100mm



**Glass thermometers 1/2"**  
Art. 8047 Length 50mm  
Art. 8048 Length 100mm



**Art. 8050**  
Probe PT100 Thread = 1/2"  
Diameter = 6 mm  
100mm, 300mm, 400mm



**Art. 8069**  
Indicator with a programated entry, Regulator inp. programate out relay  
with 2 alarm relays



**Art. 8071**

Regulator inp. programate out relay  
+ 2 alarms



**PT THERMAL ABYUDAYA ANDALAN**

Ruko Graha Boulevard Blok GBVB 10  
Jl. Gading Serpong Boulevard, Banten 15810



admin@thermal-abyudaya.com



www.thermal-abyudaya.com



+62-8111-49565



### SAFETY VALVE



Art. 2252  
Safety Valve  
1/2"-2"



Art. 2253  
Stainless steel safety valve  
with threads and lifting lever  
1/2"-2"



Art. 2256  
Safety Valve  
DN 15-50



Art. 2257  
Safety Valve  
DN 15-50



Art. 2274  
Pilot operated Pressure  
Reducing Valve  
1/2"-2"



Art. 2281  
Pressure Reducing Valve.  
1/2"-1"



Art. 2285  
Ball float steam trap  
1/2"-1"



Art. 2287  
Ball float steam trap  
(high capacity discharge)  
1"-2"

### CLAMLOCK FITTING



Fitting Type A: Male Camlock  
Female Thread ISO 7-1  
(EN10226-1)  
1/2"-4"



Art. 0410  
Fitting Type B: Female Camlock  
Male Thread ISO 7-1  
(EN 10226-1)  
1/2"-4"



Art. 0420  
Fitting Type C: Female Camlock  
Hose connector  
1/2"-4"



Art. 0440  
Fitting Type E: Male Camlock  
Hose connector  
1/2"-4"

